

MOD : CEV5/4-13

Production code : NEDS4-60AM

Modular Cooking - Amicus
Electric - Dimsum Steamer
NEDS 4-60 AM



Due to continuous technical development, the image shown may not represent the latest design of the unit.

DESCRIPTION

Table top electric dimsum steamer with 600 mm depth and two plate heaters with total 6 kW.

Usable for steaming dimsum and dumplings.

Made of AISI 304 with 1.2 mm top thickness, equipped with temperature control, dimsum tray plate and drain valve on the front.

OTHER AVAILABLE MODELS

- NEPC 4-60 AM
- NENB 4-60 AM
- NEST 4-60 AM

MAIN FEATURES

- Powered with 2 x 3 kW plate heater.
- Water capacity up to 5 liters for continuous steam.
- Fully welded AISI 304 tank for easy cleaning and increased hygienic.
- Manual water filling system.
- Drain valve with 3/4" (DN20) mounted on the front panel.
- Thermal-cut off when overheated.

CONSTRUCTION

- External construction entirely with AISI 304.
- Top panel with 1.2 mm thickness. Orbital surface finishing: resistant toward scratches.
- Side panel with 1.2 mm deep-drawn surface.
- Front panel with 0.8 mm deep-drawn surface.
- Top panel with Orbital scratch-preventing finish.
- Rubber legs, height 40 mm.
- Connector between Amicus product on the back.
- IPX4 water protection level.


INCLUDED ACCESSORIES

- Adaptor plate with four holes
- Power cable, H07RN-F (5 x 2.5 mm).
- Amicus joining clip.


OPTIONAL ACCESSORIES

- Dimsum bamboo trays.


FRONT



TOP



SIDE



TECHNICAL DATA

External Dimensions

Width : 380 mm
 Depth : 600 mm
 Height : 260 mm

Cooking Surface

Cooking zones : 310 x 510 mm
 Heating zones : 1
 Control type : Modulating temperature control

Electrical Supply Data

Total connected load : 6 kW
 Voltage : 400V, 2NPE AC /50-60Hz
 Recommended fuse : 16 A (slow)

Connections

Water : N/A
 Drain : DN 20 (3/4")

Heat & Steam Emissions

Direct heat emission : 0.21 kW
 Latent heat emission : 1.2 kW
 Steam emission : 1.76 kg/h

PACKAGING DATA

Width : 410 mm
 Depth : 630 mm
 Height : 380 mm
 Volume : 0.10 m³

WEIGHT

Net Weight : 19.5 kg
 Gross Weight : 31.5 kg

*Overall dimension in mm